



IB 7/40 Advanced (240V)

Compact ice blaster for safe, mess-free blasting.

1 Clear display

Clear indication of adjusted values; easy operation thanks to large buttons and electronic control.

3 Outstanding mobility

- Optimum machine balancing for manoeuvring over uneven ground comfortably.
- Handles at the front and rear of the machine make it easy to carry

2 Automatic residual ice emptying

Residual ice tank emptying at the push of button prevents the machi- Optimum isolation of the dry ice. ne from freezing up on completion of work.

4 GRP dry ice container

- No condensation formation.

TECHNICAL DATA AND EQUIPMENT.





IB 7/40 Advanced (240V)

- Controlled with a gun
 Oil and water separator
 For domestic compressed air networks

		a 1 of define the confine control of the thorne
Technical data		
Order Number		1.574-002.0
EAN code		4039784294035
Power rating	kW	0,6
Compressed-air connection		Claw Coupling (DIN3238)
Housing / frame		Stainless steel (1.4301)
Air pressure	bar / MPa	2-10 / 0,2-1
Quality of air		Dry & oil-free
Air flow	m³/min	0,5-3,5
Sound level	dB(A)	99
Dry ice capacity	kg	15
Dry ice pellets (diameter)	mm	3
Dry ice consumption	kg/h	15-50
Weight without accessories	kg	70
Dimensions (L x W x H)	mm	768 × 510 × 1100

Equipment				
Grease for nozzle threads			Tool bag	
Flat jet nozzle				
Flat wrench (for nozzle change)	piece(s)	2		
Blasting hose with electrical control wire and quick couplers		•		
Blasting gun (ergonomic & save)				
Dry Ice output is adjustable directly on the blasting gun		•		
Air Pressure is adjustable directly on the blasting gun		•		
Switch for "air only" or "ice and air"				
Electronic control				
With integrated earth wire rewinder				
Dil and water separator				
■ Included in delivery.				

ACCESSORIES FOR IB 7/40 ADVANCED (240V) 1.574-002.0





		Order Number	Quantity			Price	Description	
Blasting gun								
Advanced blasting gun	1	4.775-785.0					Ergonomic & lightweight blasting gun with safety device against accidental use. Because of its compact design the blasting gun is very lightweight and handy. The advanced blasting gun has an integrated remote control to adjust the blasting pressure and the dry ice output directly on the blasting gun. Furthermore there is a button to choose between air & ice" or "only air".	•
Classic blasting gun	2	4.775-794.0					Ergonomic & lightweight blasting gun with safety device against accidental use. Because of its compact design the blasting gun is very lightweight and handy.	
Low pressure - blasting nozzles				70			The state of the s	
Flat jet nozzle, long	3	4.574-038.0					Highest efficiency and a low noise level are the result of ou optimized nozzle design. Great cleaning results and high area performance.	•
Flat jet nozzle, short	4	4.574-040.0					Highest efficiency and a low noise level are the result of our	10
Round jet nozzle, short	5	4.574-039.0					optimized nozzle design. Very short nozzle to blast in nar- row areas.	
Round jet nozzle, long	6	4.574-037.0					Highest efficiency and a low noise level are the result of ou optimized nozzle design. Very aggressive for stubborn contaminations.	
Angled flat jet nozzle, 90°	7	4.574-042.0					Angled nozzle redirect the jet. Ideal to clean injection	
Angled round jet nozzle, 90'	8	4.574-041.0		9			moulds.	
Mini angled nozzle, 60°	9	4.574-044.0					Mini angled nozzle for narrow areas. Redirect the blasting jet 60°. Overhanging: 57 mm, Length: 260 mm. The set consist of 4 parts: 1 x Cap nut 1 x Extension, 100 mm (5.321-971.0) 1 x Angle, 60° (5.321-972.0) 1 x Nozzle (5.321-977.0) There can be mounted as many extensions as needed. The angle and the nozzle can be ordered separately	
Mini angled nozzle, 90°	10	4.574-043.0					Mini angled nozzle for narrow areas. Redirect the blasting jet 90°. Overhanging 63 mm, Length: 240 mm. The set consist of 4 parts: 1 x Cap nut 1 x Extension, 100 mm (5.321-971.0) 1 x Angle, 90° (5.321-973.0) 1 x Nozzle (5.321-977.0) There can be mounted as many extensions as needed. The angle and the nozzle can be ordered separately	
Cavity nozzle	11	4.574-045.0						
Extension, 100 mm	12	5.321-971.0					100 mm Extension for Mini angled nozzles (60°, 90°, 135°)	
Angle, 90'	13						90' angle for all Mini angled nozzles.	
Angle, 60"		5.321-972.0					60' angle for all Mini angled nozzles.	
Replacement nozzle	_	5.321-977.0					Nozzle piece for all Mini angled nozzles.	
Straight adapter for angled nozzle	16	5.321-992.0						
Nozzle accessories								
Open-end wrench	_	7.815-009.0					Open-end wrench for mounting nozzles (2 pcs required)	П
Grease for nozzle thread (silicone- free)		6.288-088.0					The threads of the blasting nozzles must be regularly trea- ted with this silicone-free grease.	•
Scrambler		4.574-026.0					The innovative scrambler patented by Kärcher is mounted between the trigger gun and blasting nozzle, and it breaks up the 3 mm dry ice pellets into fine particles. This makes it possible to clean very sensitive surfaces. The strength of the breaking up of the pellets can be set to any one of three different levels.	e -
■ Included in deligence □ Au		4.574-052.0						

ACCESSORIES FOR IB 7/40 ADVANCED (240V) 1.574-002.0































		Order Number	Quantity	Price	Description	
Extension complete	21	4.574-027.0			170 mm nozzle extension	1
Nozzle extension	22	4.574-046.0			300 mm nozzle extension	0
Handle IB 7/40	23	4.321-248.0			Handle to mount on the nozzle extension. For easy two handed working.	[
Nozzle lightning for IB 7/40	24	2.815-011.0			Nozzle lightning to screw onto the blasting gun. To illumina te the working area.	1
Blasting hose, compressed air ho	se					
Blasting hose	25	4.013-042.0			5 m long blasting hose with electrical control wire and quic coupler, non marking casing, silicone free (inside-diameter: 1/2 inch)	
	26	4.574-057.0				1
	27	6.574-279.0				1
	28	6.574-280.0				
	29	6.574-281.0				1
Air hose (10 m)	30	6.390-284.0			1 Inch	
Air hose (20 m)	31	6.390-285.0				
Protection foil for IB blasting hoses, 100m	32	6.667-214.0			100m-role of tube foil. To protect the blasting hose against dirt as well as against damage.	0
Mounting kits and other accessor	ries					
Earth wire rewinder	33	2.641-741.0			Automatic electrostatic discharge wire with approximately m wire and powerful clamp. The earth wire effectively prevents electrostatic charge of the cleaning object during ice blasting and with that sparks between object and nozzli. The earthing of the cleaning object is done over the ground ing conductor of the Ice Blaster.	e.
Shovel	34	4.321-198.0			Used for filling the machine with dry ice pellets	1
Y adapter, air supply	35	2.641-880.0				1
Protective equipment						
Safety glasses	36	6.321-208.0				I
Protective gloves	37	6.321-210.0				
Ear muffs	38	6.321-207.0			1	Г

[■] Included in delivery.

Available accessories.

ACCESSORIES FOR IB 7/40 ADVANCED (240V) 1.574-002.0





		Order Number	Quantity	ID	Length / width	Price	Description
Miscellaneous							
IVC power cable hook	1	5.037-240.0	1 piece(s)				

[■] Included in delivery.

Available accessories.



TEL : 0800 002 056 95 Katere Road, New Plymouth 2/355 Kahikatea Drive, Hamilton www.pacepower.co.nz